

Høytytende klarhet med 27" FHD-skjerm med 100Hz oppdateringsfrekvens og HDMI

Vi introduserer det nyeste tilskuddet til B3-serien – en strålende 27-tommers skjerm med IPS-panel for fantastiske bilder med 1920 x 1080 oppløsning og 100 Hz oppdateringsfrekvens. Hvis du leter etter en skjerm i kompakt størrelse, men større enn 23,8-tommer, er 27B3CA2 det ideelle valget. Den har også USB-C. Dette betyr at det er mulig å bruke videosignaler, strømforsyning og dataoverføring samtidig, noe som vil forbedre produktiviteten din. Enten du jobber eller studerer kan du nyte en mer komfortabel og hyggeligere seeropplevelse med den ekspansive skjermstørrelsen til 27B3CA2.




Features




100Hz oppfriskningsfrekvens

Utstyr deg selv med dobbel så høy bildefrekvens enn på andre monitorer. Si farvel til bildehakking og sluret bevegelse. Med en 100Hz oppfriskningsfrekvens gis hver bilderamme skarphet og smidig rekkefølge, slik at du kan sikte skuddene dine nøyaktig og gi deg glede over raske bilspill.



USB-C

Forenkler kontakten med bare én kabel. USB-C-kontakten gir DisplayPort Alternate Mode for å overføre videosignaler i høy oppløsning fra en notebook til skjermen mens den samtidig lader notebookens batteri fra skjermen, med USB-strømforsyning.




HDMI

HDMI (High-Definition Multimedia Interface) støttes av moderne gaming-konsoller, aktuelle GPU-er, "set-top"-bokser og støtter HDCP digitalt innholdsbeskyttelsessystem. HDMI 1.3-1.4b versjoner støtter opp til 144 Hz oppfriskningsfrekvens@1080p og 75 Hz@1440p, mens HDMI 2.0-2.0b versjoner støtter 240Hz@1080p, 144Hz@1440p og 60 Hz@2160p (4K).



Integrerte høyttalere

Innebygde høyttalere gjør det lett å holde kontakten med familien, venner og kolleger. For filmer, spill og mer, du vil ha glede av samme 'lydkvalitet uten bryet med å måtte koble til eksterne høyttalere.



1 ms MPRT-responstid

AOC-skjermen med 1 ms MPRT-respons reduserer bevegelsesuskarphet betraktelig, noe som får fartsfylt action til å se skarpt og tydelig ut, og gir en fordel i reaksjonsfølsomme spill. Mer enn hastighet, AOC-skjermen med en 1ms MPRT er en sømløs, flytende bevegelse som fordyper deg i den virtuelle verdenen. Enten du navigerer gjennom et fartsfylt racingspill eller er engasjert i en kamp med høy innsats, teller hvert millisekund.

FHD oppløsning

Vil du se en Blu-Ray-film med full kvalitet, kose deg med spill i høyoppløsning eller lese skarp tekst på kontoret? Takket være sin fulle HD-oppløsning av 1920 x 1080 piksler kan denne monitoren la deg gjøre akkurat det. Uansett hva du ser på, vil det bli vist i full HD med rike detaljer uten å trenge et "high-end" grafikkort eller som konsumerer store deler av dine 'systemressurser.

GENERAL	
Model Name	27B3CA2
Brand	AOC
Channel	B2C
Product line	Basic-line
Design family	B3
EAN	4038986181471

DISPLAY INFORMATION	
Screen size (inch)	27,0
Screen size (cm)	68,58
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Pixel Pitch (mm)	0,3114
Pixels per Inch	82,0
Panel resolution	1920x1080
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	100 Hz
Response time GtG	4 ms
Response time MPRT	1 ms
Static contrast ratio	1300:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7M (6bits+FRC)
Brightness in nits	250 cd/m2
Local Dimming Zones	Global Dimming

VIDEO FEATURES	
Sync technology (VRR)	Adaptive Sync
Digital Signal Frequency Vertical	48-100Hz
Digital Signal Frequency Horizontal	30k-115kHz
HDR (High Dynamic Range)	HDR Mode
Blue Light Technology	Low Blue Light
Colour space (sRGB) CIE 1931 %	101,8
Colour space (sRGB) CIE 1976 %	101,4
Colour space (DCI-P3) CIE 1931 %	75,0
Colour space (DCI-P3) CIE 1976 %	80,7
Colour space (Adobe RGB) CIE 1931 %	75,4
Colour space (Adobe RGB) CIE 1976 %	86,9
KVM	No

CABINET INFORMATION	
Speaker power	2 W x 2
Kensington Lock	Ja
Vesa wallmount	100x100

ERGONOMICS	
Tilt	-5 (+3/-0) ~ +23 (-3/+0)

SUSTAINABILITY	
Energy star	Energy star 8

POWER CONSUMPTION	
Power supply	Internal
Power consumption on (typical) in watts	35,0
Power consumption standby in watts	0,5
Power consumption off in watts	0,3

CONNECTIVITY INFORMATION	
HDMI	HDMI 1.4 x 1
Digital HDCP (HDMI version)	HDCP 1.4
USB Hub	Ja
USB type downstream	2
USB fast charge port	Ja
Audio/microphone	1x Audio out combine with microphone
mini USB (for external keypad)	No
USB Type Upstream	1 x USB3.2 type C Gen 1, 5 Gbit/s
USB generation	USB 3.2 (Gen 1)
DVI	0x
RJ45	No

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	616.6 x 452.9 x 229.5
Product dimensions excl. base (WxHxD) mm	616.6 x 45.4x 356.7
Packaging dimensions (WxHxD) mm	690 x 142 x 453
Gross weight incl. package (in kg)	4,43
Produkt med stativ (kg)	6,93
Produkt uten stativ (kg)	4,05

WHAT'S IN THE BOX

HDMI cable	1.5
USB-C to C cable	1.8
Power Cable	Ja

OTHER INFORMATION

Warranty period	3 years
MTBF	30.000 hours (with backlight)

LEGAL DISCLAIMER

The monitor may appear different from the feature image. The products and accessories mentioned may vary by country and region. All Rights reserved. Specifications are subject to change without notice. The above functionality may vary depending on the user's actual usage conditions.