

Kompakt glans med USB-C-tilkobling og høydejusterbare stativer for økt produktivitet

Q27B3CF2 skiller seg ut med sin 27" QHD IPS-skjerm, som sikrer at hver eneste detalj gjengis med levende klarhet og presisjon. Nyt sømløs ytelse selv under krevende oppgaver, takket være dens 100Hz oppdateringsfrekvens. Med USB-C-tilkobling kan du enkelt overføre data samtidig som du opprettholder høykvalitets videooutput. Plus, dens høydejusterbare stativ gir ergonomisk komfort for utvidet profesjonell bruk, noe som gjør den til den perfekte følgesvennen for arbeidsplassen din.



Features



HDMI

HDMI (High-Definition Multimedia Interface) støttes av moderne gaming-konsoller, aktuelle GPU-er, "set-top"-bokser og støtter HDCP digitalt innholdsbeskyttelsessystem. HDMI 1.3-1.4b versjoner støtter opp til 144 Hz oppfriskningsfrekvens@1080p og 75 Hz@1440p, mens HDMI 2.0-2.0b versjoner støtter 240Hz@1080p, 144Hz@1440p og 60 Hz@2160p (4K).

Flicker Free

AOC Flicker-Free teknologi bruker et DC (likestrøm) bakbelyst panel, som reduserer flimrende lysnivåer. Med absolutt minimering av øyeanstrengelse og utmattethet, kan du lett og komfortabelt nyte lange og intense spilløkter!

Kensington Lock

Kensington-lås er en tyversikring som består av et metallforsterket hull i kabinettet på enheten, som brukes sammen med en metallkabel med lås og nøkkel. Kensington-låser lar deg sikre din AOC-monitor ved en LAN-samling, i en organisasjon eller andre steder du tar den med.




100Hz oppfriskningsfrekvens

Utstyr deg selv med dobbel så høy bildefrekvens enn på andre monitører. Si farvel til bildehakking og sluret bevegelse. Med en 100Hz oppfriskningsfrekvens gis hver bilderamme skarphet og smidig rekkefølge, slik at du kan sikte skuddene dine nøyaktig og gi deg glede over raske bilspill.

IPS panelet

IPS-panelet gir deg en perfekt seeropplevelse med livaktige, samt utrolige og nøyaktige farger. Fargene ser like ut uansett hvilken vinkel du ser på skjermen fra.



Adaptive sync

Adaptive Sync tilpasser skjermens vertikale oppdateringshastighet til skjermkortets bildefrekvens, noe som gjør spillopplevelsen din enda jevnere ved å eliminere hakking, tearing og andre forstyrrelser. Denne funksjonen er også nyttig hvis du vil nyte videoer og andre visuelle medier i jevn kvalitet.

GENERAL	
Model Name	Q27B3CF2
Brand	AOC
Channel	B2C
Product line	Basic-line
Design family	B3
EAN	4038986181464

DISPLAY INFORMATION	
Screen size (inch)	27,0
Screen size (cm)	68,6
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Pixel Pitch (mm)	0,2331
Pixels per Inch	109,0
Panel resolution	2560x1440
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	100 Hz
Response time GtG	4 ms
Response time MPRT	1 ms
Static contrast ratio	1500:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7M (8bits)
Brightness in nits	350 cd/m2
Local Dimming Zones	Global Dimming

VIDEO FEATURES	
Sync technology (VRR)	Adaptive Sync
Digital Signal Frequency Vertical	48 - 100 Hz
HDR (High Dynamic Range)	HDR Ready
Blue Light Technology	Low Blue Light
Colour space (sRGB) CIE 1931 %	117,2
Colour space (sRGB) CIE 1976 %	120,8
Colour space (DCI-P3) CIE 1931 %	86,4
Colour space (DCI-P3) CIE 1976 %	96,2
Colour space (Adobe RGB) CIE 1931 %	86,8
Colour space (Adobe RGB) CIE 1976 %	103,5
Flicker-Free	Flicker Free
KVM	No

CABINET INFORMATION	
Bezel Colour (front)	Black
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Matt
Removable stand	Ja
Speaker power	2 W x 2
Built-in speakers fire direction	Back fire
Kensington Lock	Ja
Vesa wallmount	100x100
MonitorWebcam	No

ERGONOMICS	
Tilt	-5 / +25
Height adjust (mm)	110mm
Swivel	No
Pivot	No

SUSTAINABILITY	
TCO Certified	No
Energy star	Energy star 8
Post-consumer recycled plastic	No (B2C)
Carton material	Paper
Carton material print	Water Print (Brown Carton)

POWER CONSUMPTION	
Power supply	Internal
Power consumption on (typical) in watts	35,0
Power consumption standby in watts	0,5
Power consumption off in watts	0,3

CONNECTIVITY INFORMATION

HDMI	HDMI 2.0 x 1
Digital HDCP (HDMI version)	HDCP 2.2
USB Hub	Ja
USB type downstream	2
USB fast charge port	Ja
Audio/microphone	Headphone out (3.5mm)
USB Type Upstream	No
USB generation	USB 3.2 (Gen 1)
D-SUB (VGA)	0x
DVI	0x
RJ45	No

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	616.6 x (398.6-508.6) x 229.8
Product dimensions excl. base (WxHxD) mm	616.6 x 45.6 x 356.7
Packaging dimensions (WxHxD) mm	820 x 162 x 481
Gross weight incl. package (in kg)	8,62
Produkt med stativ (kg)	5,51
Produkt uten stativ (kg)	3,97

WHAT'S IN THE BOX

HDMI cable	1.5
USB-C to C cable	1.8
Power Cable	Ja

OTHER INFORMATION

MTBF	30.000 hours (with backlight)
-------------	-------------------------------

⚠ LEGAL DISCLAIMER

The monitor may appear different from the feature image. The products and accessories mentioned may vary by country and region. All Rights reserved. Specifications are subject to change without notice. The above functionality may vary depending on the user's actual usage conditions.